

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	5701	(re\$1encode or re\$1encoding or transcode or trans\$1cpoding or trans\$1code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:42
L18	280976	mode with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:42
L19	5078	intra with coded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:42
L20	1564	L18 and L19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:42
L21	151	L20 and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:42
L22	55102	reduc\$3 with resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:42
L23	39	L22 and L21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:43
L24	4	L23 and ("up-sampl\$3" or up\$1sampl\$3) same ((motion with compensation) or (motion with compen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:40
L25	4	23 and (("up-sampl\$3" or up\$1sampl\$3) same ((motion with compensation) or (motion with compen\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 10:48

EAST Search History

L26	12117	((348/410,412,424,392,409,415,419,413,416,420) or (375/240.24,240.16,240.21,240.25,240.03,240.04,240.07,240.13,240.12,240.01,240.18) or (382/232,236,239)).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:40
L27	1425	22 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:41
L28	100	27 and (("up-sampl\$3" or up\$1sampl\$3) same ((motion with compensation) or (motion with compen\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:41
L29	615	17 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:41
L30	64	29 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:41
L31	23	28 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:42
L32	18475	shen .in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:42
L33	86	32 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:42
S11 9	6	("5963260" "6181711" "6507618" "6577679" "6650705" "6711212").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/05 13:03
S12 0	6	(US-6711212-\$ or US-6650705-\$ or US-6577679-\$ or US-6507618-\$ or US-6181711-\$ or US-5963260-\$). did.	USPAT	OR	ON	2007/01/05 13:03

EAST Search History

S12 2	4087	(averag\$3 with ((motion near4 vector) or MV))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:05
S12 3	16451	shen .in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:07
S12 4	4162	S123 and select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:07
S12 5	4162	S123 and S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:07
S12 6	371	S125 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:07
S12 7	1679363	downsaml\$3 or scal\$4 or down\$1sampling or down\$1sample or (reduc\$3 with resolution) or transcod\$3 or trans\$1code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:07
S12 8	136	S127 and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:07
S12 9	126	S128 and (frame\$1 or picture\$1 or media or video)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:46

EAST Search History

S13 0	2	S129 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:46
S13 1	1622	S127 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:46
S13 2	1368	S131 and (frame\$1 or picture\$1 or media or video)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:47
S13 3	389	(reduc\$3 with resolution) and ((downsampl\$3 or down\$1sampling) and (upsampl\$3 or up\$1sampling))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:47
S13 4	48	S133 and S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:00
S13 5	5	MV same (generates or generat\$3) same taking same (average or (weighted with average)) same (original or input) same ((motion with vectors) or "MV")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:03
S13 6	35	taking same (average or (weighted with average)) same (original or input) same ((motion with vectors) or "MV")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:06
S13 7	25	S134 and weight\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:07

EAST Search History

S13 8	2	"6950464" .pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:26
S13 9	2	S138 and transcod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:25
S14 0	1	S139 and down\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:24
S14 1	1	S140 and cod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:24
S14 2	1	S141 and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:24
S14 3	1	S142 and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:24
S14 4	1	S143 and macro\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:24
S14 5	1	S144 and transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:24
S14 6	1	S145 and (bit adj rate) and "DCT"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:24
S14 7	1	"6950464" .pn. and "bit rate" and DCT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:27

EAST Search History

S14 8	2	"6671322" .pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:20
S15 0	1	S148 and vector and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:23
S15 2	48	motion with vector with generator with buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:57
S15 4	3542	((348/410,412,424,392,409,415, 419,413,416,420) or (375/240.24, 240.16,240.21,240.25240.03,240. 04,240.07)).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 13:37
S15 5	627	(select\$3 or decid\$3 or decision) same (process\$3 or coding or encod\$3 or compress\$3) same ("intra-coded" or intra) near4 (macroblock\$1 or macro-block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:27
S15 6	189	mode near4 select\$3 same (intra near4 (macroblocks or macro\$1block\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 10:29
S15 7	178	S155 and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 10:29
S15 8	177	S155 same S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 10:29
S15 9	176	S158 and (frame\$1 or picture\$1 or media or video)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:01

EAST Search History

S16 0	627	(number or count\$3) with (intra or "I") with (macroblocks or macro\$1blocks)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:03
S16 1	5900	(select\$3 or decid\$3 or decision) same (process\$3 or coding or encod\$3 or compress\$3) same ("intra-coded" or intra)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:04
S16 2	1386	(select\$3 or decid\$3 or decision) same (process\$3 or coding or encod\$3 or compress\$3) same ("intra-coded" or intra) with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:28
S16 3	67	S160 same S162	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:04
S16 4	12	((("20010055340") or ("20030021345") or ("6671322") or ("6385248") or ("5825927") or ("20020126752")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 11:33
S16 6	2	"20020126752"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 13:33
S16 7	1	S166 and (intra same (down\$1sampl\$3 or down\$1scal\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 13:34
S16 8	54940	reduc\$3 with resolution\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:22
S16 9	394	(reduc\$3 with resolution) same (downsampl\$3 or down\$1sampling or down\$1scaling or down\$1scal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:24

EAST Search History

S17 0	92	(buffer with receiv\$3 with compressed with video) and (downsampl\$3 or sub\$1sampling or down\$1sampling or decimat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:25
S17 1	3858	((348/410,412,424,392,409,415, 419,413,416,420) or (375/240.24, 240.16,240.21,240.25240.03,240.04,240.07)).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:25
S17 2	62	intra same macro\$1block with (count or counting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:26
S17 3	635	(select\$3 or decid\$3 or decision) same (process\$3 or coding or encod\$3 or compress\$3) same ("intra-coded" or "intra") near4 (macroblock\$1 or macro-block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:27
S17 4	43	(transcoding or transcode bor trans\$1code) same (media or data or video) same (downsample or down\$1sample or downscal\$4 or down\$1scale)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:38
S17 5	1397	(select\$3 or decid\$3 or decision) same (process\$3 or coding or encod\$3 or compress\$3) same ("intra-coded" or intra) with mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:29
S17 6	26	S174 and S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:31
S17 7	16	S176 and S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:29

EAST Search History

S17 8	1725963	downsampl\$3 or scal\$4 or down\$1sampling or down\$1sample or (reduce with resolution) or transcod\$3 or trans\$1code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:33
S18 0	4526	S179 and select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:35
S18 1	4526	S179 and S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:35
S18 2	436	S181 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:35
S18 3	1747045	downsampl\$3 or scal\$4 or down\$1sampling or down\$1sample or (reduc\$3 with resolution) or transcod\$3 or trans\$1code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:35
S18 4	159	S183 and S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:35
S18 5	149	S184 and (frame\$1 or picture\$1 or media or video)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:36

EAST Search History

S18 6	9	S185 and S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:36
S18 7	43	(transcoding or transcode or trans\$1code) same (media or data or video) same (downsample or down\$1sample or downscal\$4 or down\$1scale)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 14:37
S18 8	26	S187 and S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 17:00
S18 9	2	"6487249".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 18:58
S19 0	22	("4261043" "4468688" "4472732" "4536745" "4602273" "4652908" "4774581" "4870661" "4908874" "5028995" "5057911" "5262854" "5274372" "5331346" "5477397" "5528301" "5581302" "5737019" "6025878" "6175592" "6184935" "6222944").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/08 19:07
S19 1	132	(down\$1convert\$3 or down\$1conversion or "down conver\$3" or down\$1sample or down\$1sampling or down\$1scal\$3) with (compressed near4 (video or image or data))	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/08 19:13
S19 3	132	(down\$1convert\$3 or down\$1conversion or "down conver\$3" or down\$1sample or down\$1sampling or down\$1scal\$3) with (compressed near4 (video or image or data))	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/08 23:21

EAST Search History

S19 4	35	wireless and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 23:22
S19 5	9	determin\$3 with bit\$1rate with DCT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 11:08
S19 6	7400	memory same picture same size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:03
S19 7	2630	memory with picture with size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:03
S19 8	1692	(348/143).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:04
S19 9	6	S197 and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:05
S20 0	1565	memory same (free\$3) same (SIZE\$1) SAME IMAGE\$1 OR PICTURE\$1 AND S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:11
S20 1	36	S200 and S197	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:06
S20 2	758	memory same (free\$3) adj1 up\$1 same (SIZE\$1) SAME IMAGE\$1 OR PICTURE\$1 AND S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:12
S20 4	433	memory same (free\$3) adj1 up\$1 same (SIZE\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:13

EAST Search History

S20 6	38	S204 and "348"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:14
S20 9	226	S204 and memory\$1 same management\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:16
S21 0	23	S209 and "348"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:19
S21 1	12387	buffer same mode with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:11
S21 2	3429	S211 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:11
S21 3	67	S212 and transcod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:31
S21 4	13814	((mode near3 (selector or selecting)) or switch) same ((coupled or connected or attached) near8 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:33
S21 5	2819	S214 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:34
S21 6	229430	input near3 (buffer or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:34
S21 7	1642	S215 and S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:34

EAST Search History

S21 8	11	S217 and transcod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 12:34
----------	----	----------------------	---	----	----	------------------